

FIRST CLASS LEISURE - RISK ASSESSMENT

DESCRIPTION OF ACTIVITY / EQUIPMENT CHILDREN'S BALL PIT (BALL POOL) / INFLATABLE BALL PIT (BALL POOL)

HAZARD AREA	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Over enthusiastic participants	Adult supervision at all times	1	1	1	Ensure a supervisor is present at all times.	
Users falling over during activity. Users colliding with other users. Falls from height	Adult supervision at all times. Ensure participants all use within the	3	2	1	Participants put into groups of similar size/age. Children to slide feet first only. Do not allow children to climb walls, beams or sides.	
Jumping off the unit	Adult supervision at all times.	1	1	1	Additional safety mats in front of unit exit. Ensure a supervisor is present at all times.	
Balls being thrown	Brief responsible adults to ensure balls are not thrown at other equipment users.	3	1	3	Ensure a supervisor is present at all times.	
Tripping over anchor points and spare equipment/electrical cable	All anchor points used as per manufacturers instructions and spare equipment leads etc either stowed/erected safely.	1	1	1	In event of large number of participants attending, additional safety fencing erected to control the area and participants. Where possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covers.	
Touching Electrics	Adult supervision at all times.	1	1	1	Keep all children away from electrics and supervisor is present at all times.	
				Any Other Action Required:		

Ensure all supervisors/operators are aware of all safety instructions/rules provided.

THE ABOVE INFORMATION IS BASED ON MAUFACTURERS CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT

Risk Assessment Carried Out By: Date:

Name: Signature: