

FIRST CLASS LEISURE - RISK ASSESSMENT

DESCRIPTION OF ACTIVITY / EQUIPMENT BOUNCY CASTLES / INFLATABLES

HAZARD AREA	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Over enthusiastic participants	Adult supervision at all times	1	1	1	Show users safety cartoons supplied	
Jumping off front of unit	Adult supervision at all times	1	1	1	Additional safety mats in front of unit exit.	
Larger participants colliding with smaller participants	Adult supervision at all times.	1	1	1	Participants put into groups of similar size/age. Children to slide feet first only.	
Tripping over anchor points and spare equipment/electrical cable	All anchor points used as per manufacturers instructions and spare equipment leads etc either stowed/erected safely.	1	1	1	In event of large number of participants attending, additional safety fencing erected to control the area and participants. Where possible electrical cable does not cross any public pathway. If unavoidable cable erected overhead or covered.	
Falls from height	Adult supervision at all times	5	2	1	Do not allow children to climb walls, beams or sides. Show participants safety cartoons.	
				Any Other Action Required:		

Ensure all supervisors/operators are aware of all safety instructions/rules provided.

THE ABOVE INFORMATION IS BASED ON MAUFACTURERS CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT

Risk Assessment Carried Out By: Date:

Name: Signature: